


M2-MAYA-W2 module



M.2 card with MAYA-W2 Wi-Fi 6, Bluetooth 5.4, 802.15.4 module

Module supporting IEEE 802.11ax, Bluetooth/Bluetooth Low Energy 5.4 and Thread

- M.2 type 2230 Key E form factor
- Dual band Wi-Fi 2.4 GHz and 5 GHz 802.11ax
- Dual-mode Bluetooth 5 (Bluetooth BR/EDR/Low Energy)
- 802.15.4 radio supporting Thread
- Operation modes: Access point, Station, Wi-Fi Direct, and combinations
- Compatible with NXP i.MX evaluation and development boards



Product description

The M2-MAYA-W2 card combines the maximum performance of the MAYA-W2 Wi-Fi 6, Bluetooth 5.4 and 802.15.4 connectivity module with the flexibility and ease of use of an M.2 card. The card supports all features of the MAYA-W271 module and is based on the multiradio NXP IW612 chipset.

M2-MAYA-W2 supports Wi-Fi 6 (802.11ax) – designed for up to 600 Mbit/s data throughput and operation in dense Wi-Fi environments. It also supports single-stream MU-MIMO operation. With dual-band 2.4/5 GHz and 80 MHz channel-width, the card can operate as access point, station, in P2P communication mode, or in any combination of these.

M2-MAYA-W2 supports the full feature set of Bluetooth Low Energy 5.4, including support for isochronous channels for Low Energy Audio. The M2-MAYA-W2 card also supports the 802.15.4 protocol, as used by Thread.

The MAYA-W271 module featured on the card, like all u-blox modules, undergoes extensive qualification tests to ensure reliability over its lifetime, and each module is fully tested before leaving the assembly line.

Key features

- M.2 type 2230 Key E form factor
- Wi-Fi 6, dual-band, single stream, supporting MU-MIMO
- 20, 40, and 80 MHz Wi-Fi channels
- Supports 802.11a/b/g/n/ac/ax
- Bluetooth 5.4 supports all features including audio
- Wi-Fi security: WPA3, WPA2, WAPI, AES
- 802.15.4 radio
- High-Power Bluetooth: up to +20 dBm
- Secure boot

M2-MAYA-W271

Grade	
Automotive	
Professional	
Standard	•
Radio	
Chip inside	NXP IW612
Bluetooth qualification	v5.4
Bluetooth profiles	HCI
Bluetooth BR/EDR	•
Bluetooth Low Energy	•
Wi-Fi IEEE 802.11 standards	ax
Wi-Fi frequency band [GHz]	2.4 and 5
Bluetooth output power conducted [dBm]	Up to 20
Wi-Fi output power [dBm]	18
802.15.4 radio	•
Antenna type	2 U.FL connectors
OS support	
Android / Linux drivers (from u-blox)	•
RTOS (via NXP i.MX RT MCUs)	•
Interfaces	
High-speed UART (Bluetooth)	1
PCM, I2S (Bluetooth audio)	1
SDIO (Wi-Fi) [version]	3.0
SPI (802.15.4)	1
Features	
Micro access point [max connects]	16
Wi-Fi direct	•
WPA3	•
RF calibration in OTP	•
Programmed MAC address	•
Secure boot	•

M2-MAYA-W2 module



Features

Wi-Fi standards	Wi-Fi 6 IEEE 802.11a/b/g/n/ac/ax IEEE 802.11d/e/h/i/k/r/u/v/w/az
Wi-Fi channels	2.4 GHz: 1-14 5 GHz: 36-193
Bluetooth	v5.4, class 1 and 2 transmission Bluetooth low energy and Bluetooth BR/EDR
802.15.4	IEEE 802.15.4 - 2015 compliant 2.45 GHz, up to 250 kbps
Antennas	2 U.FL connectors
Output power	TBD
Security	128-bit AES hardware encryption Secure boot

Software features

RF calibration	Available in on-board OTP memory
MAC addresses	Available in on-board OTP memory
Security	WPA2 (CCMP, AES) WPA3 WAPI
Wi-Fi operational modes	Station, access point, Wi-Fi direct, or any combination of these
Driver support	Free of charge drivers for Linux and Android RTOS (with NXP MCUXpresso)

Interfaces

Wi-Fi	SDIO 3.0 (4-bit, up to 208 MHz clock)
Bluetooth	4-wire high-speed UART PCM and I2S for Bluetooth classic audio
802.15.4	SPI
Other	GPIOs

Package

Dimensions	22 x 30 x 2.8 mm
Mounting	M.2 Key-E connector 2199230-4 on host platform

Environmental data, quality, and reliability

Operating temperature	-40 °C to +85 °C
Standard qualification	

Electrical data

Power supply	3.3V (from M.2 card voltage pin), 1.8V (generated by on-card DCDC)
VIO power supply	1.8/3.3V (default: 1.8V)

Certifications and approvals

Type approvals	Europe (RED); US (FCC); Canada (ISED) Other certifications will be considered upon request
Bluetooth qualification	TBD

Product variants

M2-MAYA-W271	Standard grade M.2 card module with two separate antenna U.FL connectors for Wi-Fi and Bluetooth/802.15.4
--------------	---

Further information

For contact information, see www.u-blox.com/contact-u-blox.

For more product details and ordering information, see the product data sheet.

Legal Notice:

u-blox or third parties may hold intellectual property rights in the products, names, logos, and designs included in this document. Copying, reproduction, or modification of this document or any part thereof is only permitted with the express written permission of u-blox. Disclosure to third parties is permitted for clearly public documents only.

The information contained herein is provided "as is". No warranty of any kind, either express or implied, is made in relation to the accuracy, reliability, fitness for a particular purpose or content of this document. This document may be revised by u-blox at any time. For most recent documents, please visit www.u-blox.com.